

1907/2006 (REACH) Article 31, 2015/830/EU and 1272/2008/EC (CLP) Date 01.11.2018

1.	IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING
1.	I Product identifier: ECHINACEA EXTRACT
1.	2 Relevant identified uses of the substance or mixture and uses advised against: Cosmetics raw material
1.	3 Details of the supplier of the safety data sheet: ACCESS
	Petra Yialou, 190 04 SPATA, ATHENS, GREECE Tel.: (+30) 210.8104206
	Web: www.access-naturals.gr Web: www.access-naturals.gr
1.	4 Emergency telephone number:
	Hellenic Poison Centre Tel.: (+30) 210.7793777
	European Emergency Tel.: 112
	Supplier's emergency telephone number:
	Calls from 08:00 to 16:00: (+30) 210.8104206
2.	HAZARDS IDENTIFICATION
2.	L Classification of the substance or mixture:
	The product is not classified as hazardous pursuant to the provisions set forth in EC Regulation 1272/2008 (CLP) (and
	subsequent amendments and supplements).
2.	2 Label elements:
	This product is not subject to hazard labeling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and
	supplements.
	Hazard pictograms: Not applicable
	Signal words: Not applicable
	Hazard statements: Not applicable
	Precautionary statements: Not applicable
2.	
	On the basis of available data, the product does not contain any PBT or vPvB in percentage greater than 0.1%.
3.	COMPOSITION/INFORMATION ON INGREDIENTS
3.	L Substances:
э.	Information not relevant.
	information not relevant.
3.	2 Mixtures:
	The product does not contain substances classified as hazardous to human health or the environment in accordance with
	the provisions of Regulation (EU) 1272/2008 (CLP) (and subsequent conversions and adaptations) in such quantities as to
	require their declaration.
	dentification Conc. %. Classification 1272/2008 (CLP)
	chinacea Purpurea root extract
	AS. 90028-20-9 9 - 11 Not classified
	E. 289-808-4
	NDEX
F	eg. No



1907/2006 (REACH) Article 31, 2015/830/EU and 1272/2008/EC (CLP) Date 01.11.2018

CAS. 56-81-5	40 – 50	Not classified
CE. 200-289-5		
INDEX		
Reg. No. 01-2119471987-18-0000		
Aqua		·
CAS. 7732-18-5	40 - 50	Not classified
CE. 231-791-2		
INDEX		
Reg. No		
Sodium benzoate		
CAS. 532-32-1	0.09 - 0.11	Eye Irrit. 2 H319
CE. 208-534-8		
INDEX		
Reg. No. 01-2119460683-35-0000		
Potassium sorbate		
CAS. 590-00-1	0.09 - 0.11	Eye Irrit. 2 H319
CE. 246-376-1		
INDEX		
Reg. No. 01-2119950315-41-0000		
Citric acid		
CAS. 5949-29-1	0.19 – 0.21	Eye Irrit. 2 H319
CE. 201-069-1		
INDEX		
Reg. No. 01-2119457026-42-0000		

4. INSTAD WEASONES

4.1 Description of first aid measures:

Not specifically necessary. Observance of good industrial hygiene is recommended.

4.2 Most important symptoms and effects, both acute and delayed:

Specific information on symptoms and effects caused by the product are unknown.

4.3 Indication of any immediate medical attention and special treatment needed: Information not available.

5. FIREFIGHTING MEASURES

5.1 Extinguishing media:

SUITABLE EXTINGUISHING EQUIPMENT The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray. UNSUITABLE EXTINGUISHING EQUIPMENT None in particular.

5.2 Special hazards arising from the substance or mixture: HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE Do not breathe combustion products.

5.3 Advice for firefighters:

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

<u>EQUIPMENT</u>

Normal firefighting clothing i.e. fire kit (EN 469), gloves (EN 659) and boots (HO specification A29 or A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (EN 137).



1907/2006 (REACH) Article 31, 2015/830/EU and 1272/2008/EC (CLP) Date 01.11.2018

6.	ACCIDENTAL RELEASE	MEASURES					
6.1	Personal precaution	, protective equipment	and emergency	nrocedures			
0.1	Block the leakage if t		and emergency	procedures.			
		tive equipment (includin	g personal prote	ctive equipr	nent referred to unde	r section 8 of t	he safety
		nt any contamination of s					
		ed in emergency proced			-		
6.2	Environmental preca						
	The product must no	t penetrate the sewer sy	stem or come in	to contact w	vith surface water or g	round water.	
6.3		al for containment and o			nabla waa awalaataa .		
		oduct into a suitable con he container to be used,					
		ge site is well aired. Conta					
	set forth in section 13				disposed of in compli	ance with the	provisions
6.4	Reference to other s	ections:					
	Any information on p	ersonal protection and c	lisposal is given i	n sections 8	and 13.		
7.	HANDLING AND STOR	AGE					
7.1	Precautions for safe						
		product, consult all the o		this material	safety data sheet. Av	old leakage of	the product
	into the environment	. Do not eat, drink or sm	oke during use.				
7.2	Conditions for safe s	torage, including any inc	omnatibilities				
/		learly labelled container		ers away fror	n any incompatible m	aterials, see se	ction 10 for
	details.				,		
7.3	Specific end use(s):						
	Information not avail	able.					
•							
8. 8.1	Control parameters:	PERSONAL PROTECTION	<u>v</u>				
	YCEROL						
	reshold Limit Value						
Ту		TWA/8h	ST	EL/15min			
		mg/m3		mg/m3	ppm		
	EL GBR	10					
	edicted no-effect concer						
	ormal value in fresh wate			0.885	mg/l		
	ormal value in marine wa			0.0885	mg/l		
	ormal value for fresh wat			3.30	mg/kg		
	ormal value for marine wa ormal value for water, int			0.33 8.85	mg/kg mg/l		
	ormal value of STP micro			1000	mg/l		
	ormal value for the food of	0		0.141	mg/kg		
	econdary poisoning)			0.1.11			
	ealth - Derived no-effect	level - DNEL / DMEL					
		Effects on consumer	S		Effects on	workers	
R	oute of Acute	Acute Chronic		Acute		Chronic	Chronic
e	kposure local	systemic local	systemic	local	systemic	local	systemic
	Oral		229 mg/kg bw,	/d			
	halation	33 mg/m	-			56 mg/m3	



Echinacea Extract

1907/2006 (REACH) Article 31, 2015/830/EU and 1272/2008/EC (CLP) Date 01.11.2018

07	Exposuro controla:	
8.2	Exposure controls:	res usually applied when handling chemical substances.
	comply with the safety measu	ies usually applied when handling chemical substances.
8.2.1	Eye protection:	
0.2.1	Wear airtight protective goggle	es (see standard FN 166)
8.2.2	Skin protection:	
0.2.2	Hand protection:	
		work gloves (see standard EN 374). The following should be considered
	• •	terial: compatibility, degradation, failure time and permeability. The
		nical agents should be checked before use, as it can be unpredictable.
		on the duration and type of use.
	The Bloves wear time depends	
	Other skin protection:	
		ong-sleeved overalls and safety footwear (see Directive 89/686/EEC and standard EN ISO
	20344). Wash body with soap	and water after removing protective clothing.
	- · ·	
8.2.3	Respiratory protection:	
		d otherwise in the chemical risk assessment.
8.2.4	Environmental exposure contro	ols:
	The emissions generated by m	anufacturing processes, including those generated by ventilation equipment, should be
	checked to ensure compliance	with environmental standards.
9.	PHYSICAL AND CHEMICAL PROP	FRTIES
	<u></u>	
9.1	Information on basic physical	and chemical properties:
	Appearance:	Liquid
	Color:	Brown
	Odor:	Characteristic
	pH:	4.0-6.0
	Flash point:	>60°C
	Density:	1.03-1.15 g/ml
	Solubility:	In water
0.2		
9.2	Other informations:	0 %
	VOC (Directive 2010/75/EC):	0%
	VOC (volatile carbon):	0 %
10.	STABILITY AND REACTIVITY	
10.4	Desetivity	
10.1	Reactivity:	reaction with other substances in normal conditions of use.
	There are no particular risks of	reaction with other substances in normal conditions of use.
10.2	Chamical stability	
10.2	Chemical stability:	I conditions of use and storage
	The product is stable in norma	I conditions of use and storage.
10.3	Possibility of hazardous reacti	ons:
10.3		ons: reseeable in normal conditions of use and storage.
	NO HAZALUOUS LEACTIONS ALE TO	באבכמאוב זון ווטרוומו נטווטונוטווג טו עגצ מווע גנטו מצב.
10.4	Conditions to avoid:	
10.4		he usual presentions used for chemical products should be respected
	None in particular. However, t	he usual precautions used for chemical products should be respected.
10.5	Incompatible materials:	
10.5	Information not available.	
		Page 4 from 8



1907/2006 (REACH) Article 31, 2015/830/EU and 1272/2008/EC (CLP) Date 01.11.2018

.0.6	Hazardous decomposition products: Information not available.
.1.	TOXICOLOGICAL INFORMATION
	According to currently available data, this product has not yet produced health damages. Anyway, it must be handled according to good industrial practices
1.1	Information on toxicological effects:
	Metabolism, toxicokinetics, mechanism of action and other information
	Information not available
	Information on likely routes of exposure
	Information not available
	Delayed and immediate effects as well as chronic effects from short and long-term exposure Information not available
	Interactive effects
	Information not available
	ACUTE TOXICITY.
	LC_{50} (Inhalation) of the mixture: Not classified (no significant component)
	LD_{50} (Oral) of the mixture: Not classified (no significant component)
	LD_{50} (Dermal) of the mixture: Not classified (no significant component)
	GLYCEROL
	LD_{50} (Oral) 27200 mg/kg Rat
	LD ₅₀ (Dermal) > 18700 mg/kg Rabbit
	SKIN CORROSION / IRRITATION
	Does not meet the classification criteria for this hazard class
	SERIOUS EYE DAMAGE / IRRITATION
	Does not meet the classification criteria for this hazard class
	RESPIRATORY OR SKIN SENSITISATION
	Does not meet the classification criteria for this hazard class
	GERM CELL MUTAGENICITY
	Does not meet the classification criteria for this hazard class
	<u>CARCINOGENICITY</u> Does not meet the classification criteria for this hazard class
	REPRODUCTIVE TOXICITY
	Does not meet the classification criteria for this hazard class
	STOT - SINGLE EXPOSURE
	Does not meet the classification criteria for this hazard class
	STOT - REPEATED EXPOSURE
	Does not meet the classification criteria for this hazard class
	<u>ASPIRATION HAZARD</u> Does not meet the classification criteria for this hazard class
2.	ECOLOGICAL INFORMATION
	Use this product according to good working practices. Avoid littering. Inform the competent authorities, should the product reach waterways or contaminate soil or vegetation.
2.1	Toxicity:
	GLYCEROL
	LC ₅₀ - for Fish. 54000 mg/l/96h Oncorhynchus mykiss
	EC ₅₀ - for Algae / Aquatic Plants. > 10000 mg/l/72h



1907/2006 (REACH) Article 31, 2015/830/EU and 1272/2008/EC (CLP) Date 01.11.2018

	.2 Persistence and degradability:	
	GLYCEROL	
	Solubility in water. 1000000 mg/l	
	Rapidly degradable.	
12.3	.3 Bioaccumulative potential:	
	GLYCEROL	
	Partition coefficient: n-octanol/water1.76	
L2.4	.4 Mobility in soil:	
	Information not available.	
12.5	.5 Results of PBT and vPvB assessment:	
	Based on available data, the product does not contain any PBT or vPvB in percenta	ge greater than 0.1%.
12.6	.6 Other adverse effects:	
	Information not available.	
3.	DISPOSAL CONSIDERATIONS	
13.1	.1 Waste treatment methods:	
	Reuse, when possible. Neat product residues should be considered special non-haz	vardous waste.
	Disposal must be performed through an authorized waste management firm, in co	
	regulations.	inplance with national and curopean
	CONTAMINATED PACKAGING	
	Contaminated packaging must be recovered or disposed of in compliance with national sector of the se	ional waste management regulations.
14.	. TRANSPORT INFORMATION	
	The product is not dangerous under current provisions of the Code of Internationa	l Carriage of Dangerous Goods by Road
	(ADR) and by Rail (RID), of the International Maritime Dangerous Goods Code (IMD	
	Transport Association (IATA) regulations.	
	a	
14.1		
	Not applicable.	
14.2	.2 UN proper shipping name:	
	Not applicable.	
	.3 Transport hazard class(es):	
	.3 Transport hazard class(es): Not applicable.	
14.3	Not applicable.	
14.3	Not applicable.	
14.3 14.4	Not applicable. .4 Packing group: Not applicable.	
14.3 14.4	 Not applicable. Packing group: Not applicable. Environmental hazards: 	
14.3 14.4	Not applicable. .4 Packing group: Not applicable.	
14.3 14.4 14.5	 Not applicable. Packing group: Not applicable. Environmental hazards: Not applicable. 	
14.3 14.4 14.5	 Not applicable. Packing group: Not applicable. Environmental hazards: Not applicable. Special precautions for user 	
14.3 14.4 14.5	 Not applicable. Packing group: Not applicable. Environmental hazards: Not applicable. 	
14.3 14.4 14.5 14.6	 Not applicable. Packing group: Not applicable. Environmental hazards: Not applicable. Special precautions for user Not applicable. 	
14.3 14.4 14.5 14.6 14.7	 Not applicable. Packing group: Not applicable. Environmental hazards: Not applicable. Special precautions for user Not applicable. 	



1907/2006 (REACH) Article 31, 2015/830/EU and 1272/2008/EC (CLP) Date 01.11.2018

5.	REGULATORY INF	ORMATION			
5.1	Safety, health a	nd environmental regulations/legislation specific for the substance or mixture:			
	Seveso Category	- Directive 2012/18/EC: None			
	Substances in Ca	andidata List (Art EQ DEACH)			
		andidate List (Art. 59 REACH). Die data, the product does not contain any SVHC in percentage greater than 0.1%.			
	Substances subject to authorisation (Annex XIV REACH).				
	None.				
	Substances subj	ect to exportation reporting pursuant to (EC) Reg. 649/2012.			
	None.				
	Substances subi	ect to the Rotterdam Convention.			
	None.				
	Substances subje None.	ect to the Stockholm Convention.			
	None.				
	Healthcare cont				
	Information not	available.			
5.2	Chemical safety	assessment:			
	No chemical safe	ety assessment has been processed for the mixture and the substances it contains.			
	No chemical sale				
. <u>c</u>	DTHER INFORMATI	<u>ON</u>			
. <u>c</u>	DTHER INFORMATI Text of hazard (H)	ON indications mentioned in section 2-3 of the sheet:			
. <u>C</u>	DTHER INFORMATI	ON indications mentioned in section 2-3 of the sheet: Eye irritation, category 2.			
. <u>c</u>	THER INFORMATI Text of hazard (H) Eye Irrit. 2	ON indications mentioned in section 2-3 of the sheet:			
. <u>c</u>	THER INFORMATI Text of hazard (H) Eye Irrit. 2 H319 LEGEND:	ON indications mentioned in section 2-3 of the sheet: Eye irritation, category 2. Causes serious eye irritation.			
<u>(</u>	THER INFORMATI Text of hazard (H) Eye Irrit. 2 H319 LEGEND: - ADR: European A	ON indications mentioned in section 2-3 of the sheet: Eye irritation, category 2. Causes serious eye irritation. Agreement concerning the carriage of Dangerous goods by Road			
<u>c</u>	DTHER INFORMATI Text of hazard (H) Eye Irrit. 2 H319 LEGEND: - ADR: European A - CAS NUMBER: CI	ON indications mentioned in section 2-3 of the sheet: Eye irritation, category 2. Causes serious eye irritation. Agreement concerning the carriage of Dangerous goods by Road hemical Abstract Service Number			
<u>c</u>	Text of hazard (H) Eye Irrit. 2 H319 LEGEND: - ADR: European A - CAS NUMBER: Cl - CE50: Effective c	ON indications mentioned in section 2-3 of the sheet: Eye irritation, category 2. Causes serious eye irritation. Agreement concerning the carriage of Dangerous goods by Road hemical Abstract Service Number concentration (required to induce a 50% effect)			
<u>c</u>	Text of hazard (H) Eye Irrit. 2 H319 LEGEND: - ADR: European A - CAS NUMBER: Cl - CE50: Effective c	ON indications mentioned in section 2-3 of the sheet: Eye irritation, category 2. Causes serious eye irritation. Agreement concerning the carriage of Dangerous goods by Road hemical Abstract Service Number concentration (required to induce a 50% effect) entifier in ESIS (European archive of existing substances)			
. <u>c</u>	Text of hazard (H) Eye Irrit. 2 H319 LEGEND: - ADR: European A - CAS NUMBER: Cl - CESO: Effective c - CE NUMBER: Ide - CLP: EC Regulatio - DNEL: Derived N	ON indications mentioned in section 2-3 of the sheet: Eye irritation, category 2. Causes serious eye irritation. Agreement concerning the carriage of Dangerous goods by Road hemical Abstract Service Number concentration (required to induce a 50% effect) entifier in ESIS (European archive of existing substances) on 1272/2008 o Effect Level			
. <u>(</u>	DTHER INFORMATI Text of hazard (H) Eye Irrit. 2 H319 LEGEND: - ADR: European A - CAS NUMBER: CI - CE50: Effective o - CE NUMBER: Ide - CLP: EC Regulati - DNEL: Derived N - EmS: Emergency	ON indications mentioned in section 2-3 of the sheet: Eye irritation, category 2. Causes serious eye irritation. Agreement concerning the carriage of Dangerous goods by Road hemical Abstract Service Number concentration (required to induce a 50% effect) entifier in ESIS (European archive of existing substances) on 1272/2008 o Effect Level Schedule			
. <u>c</u>	DTHER INFORMATI Text of hazard (H) Eye Irrit. 2 H319 LEGEND: - ADR: European A - CAS NUMBER: CI - CE50: Effective o - CE NUMBER: Ide - CLP: EC Regulatio - DNEL: Derived N - EmS: Emergency - GHS: Globally Ha	ON indications mentioned in section 2-3 of the sheet: Eye irritation, category 2. Causes serious eye irritation. Agreement concerning the carriage of Dangerous goods by Road hemical Abstract Service Number concentration (required to induce a 50% effect) intifier in ESIS (European archive of existing substances) on 1272/2008 o Effect Level Schedule armonized System of classification and labeling of chemicals			
. <u>c</u>	DTHER INFORMATI Text of hazard (H) Eye Irrit. 2 H319 LEGEND: - ADR: European A - CAS NUMBER: Cl - CE50: Effective of - CE50: Effective of - CE50: Effective of - CLP: EC Regulatio - DNEL: Derived N - EmS: Emergency - GHS: Globally Ha - IATA DGR: Interr	ON indications mentioned in section 2-3 of the sheet: Eye irritation, category 2. Causes serious eye irritation. Agreement concerning the carriage of Dangerous goods by Road hemical Abstract Service Number concentration (required to induce a 50% effect) entifier in ESIS (European archive of existing substances) on 1272/2008 o Effect Level 'Schedule armonized System of classification and labeling of chemicals hational Air Transport Association Dangerous Goods Regulation			
. <u>c</u>	DTHER INFORMATI Text of hazard (H) Eye Irrit. 2 H319 LEGEND: - ADR: European A - CAS NUMBER: Cl - CE50: Effective of - CE50: Effective of - CLP: EC Regulation - DNEL: Derived N - EmS: Emergency - GHS: Globally Ha - IATA DGR: Interri - IC50: Immobiliza	ON indications mentioned in section 2-3 of the sheet: Eye irritation, category 2. Causes serious eye irritation. Agreement concerning the carriage of Dangerous goods by Road hemical Abstract Service Number concentration (required to induce a 50% effect) intifier in ESIS (European archive of existing substances) on 1272/2008 o Effect Level Schedule armonized System of classification and labeling of chemicals			
. <u>c</u>	DTHER INFORMATI Text of hazard (H) Eye Irrit. 2 H319 LEGEND: - ADR: European A - CAS NUMBER: Cl - CESO: Effective c - CE NUMBER: Ide - CLP: EC Regulatio - DNEL: Derived N - EmS: Emergency - GHS: Globally Ha - IATA DGR: Interr - IC50: Immobiliza - IMDG: Internation	ON indications mentioned in section 2-3 of the sheet: Eye irritation, category 2. Causes serious eye irritation. Agreement concerning the carriage of Dangerous goods by Road hemical Abstract Service Number isoncentration (required to induce a 50% effect) entifier in ESIS (European archive of existing substances) on 1272/2008 o Effect Level 'Schedule armonized System of classification and labeling of chemicals hational Air Transport Association Dangerous Goods Regulation tion Concentration 50% onal Maritime Code for dangerous goods hal Maritime Organization			
. <u>c</u>	DTHER INFORMATI Text of hazard (H) Eye Irrit. 2 H319 LEGEND: - ADR: European A - CAS NUMBER: Cl - CE50: Effective of - CE NUMBER: Ide - CLP: EC Regulatio - DNEL: Derived N - EmS: Emergency - GHS: Globally Ha - IATA DGR: Interr - IC50: Immobiliza - IMDG: Internation - IMDC: Internation - INDEX NUMBER:	ON indications mentioned in section 2-3 of the sheet: Eye irritation, category 2. Causes serious eye irritation. Agreement concerning the carriage of Dangerous goods by Road hemical Abstract Service Number isoncentration (required to induce a 50% effect) intifier in ESIS (European archive of existing substances) on 1272/2008 o Effect Level 'Schedule armonized System of classification and labeling of chemicals hational Air Transport Association Dangerous Goods Regulation ition Concentration 50% onal Maritime Code for dangerous goods hal Maritime Organization : Identifier in Annex VI of CLP			
. <u>c</u>	DTHER INFORMATI Text of hazard (H) Eye Irrit. 2 H319 LEGEND: - ADR: European A - CAS NUMBER: CI - CE50: Effective of - CE NUMBER: Ide - CLP: EC Regulatio - DNEL: Derived N - EMS: Emergency - GHS: Globally Ha - IATA DGR: Intern - IC50: Immobiliza - IMDG: Internatioo - IMOC: Internatioo - INDEX NUMBER: - LC50: Lethal Com	ON indications mentioned in section 2-3 of the sheet: Eye irritation, category 2. Causes serious eye irritation. Agreement concerning the carriage of Dangerous goods by Road hemical Abstract Service Number concentration (required to induce a 50% effect) entifier in ESIS (European archive of existing substances) on 1272/2008 o Effect Level 'Schedule armonized System of classification and labeling of chemicals hational Air Transport Association Dangerous Goods Regulation tion Concentration 50% onal Maritime Coganization : Identifier in Annex VI of CLP icentration 50%			
. (DTHER INFORMATI Text of hazard (H) Eye Irrit. 2 H319 LEGEND: - ADR: European A - CAS NUMBER: Cl - CE50: Effective of - CE NUMBER: Ide - CLP: EC Regulatio - DNEL: Derived N - EmS: Emergency - GHS: Globally Ha - IATA DGR: Interr - IC50: Immobiliza - IMDG: Internation - IMDC: Internation - INDEX NUMBER:	ON indications mentioned in section 2-3 of the sheet: Eye irritation, category 2. Causes serious eye irritation. Agreement concerning the carriage of Dangerous goods by Road hemical Abstract Service Number concentration (required to induce a 50% effect) entifier in ESIS (European archive of existing substances) on 1272/2008 o Effect Level 'Schedule armonized System of classification and labeling of chemicals hational Air Transport Association Dangerous Goods Regulation tion Concentration 50% onal Maritime Code for dangerous goods hal Maritime Coganization : Identifier in Annex VI of CLP icentration 50% e 50%			
. (DTHER INFORMATI Text of hazard (H) Eye Irrit. 2 H319 LEGEND: - ADR: European A - CAS NUMBER: CI - CE50: Effective of - CE NUMBER: Ide - CLP: EC Regulatie - DNEL: Derived N - EmS: Emergency - GHS: Globally Ha - IATA DGR: Intern - IC50: Immobiliza - IMDG: Internation - INDEX NUMBER: - LC50: Lethal Con - LD50: Lethal dos - OEL: Occupation	ON indications mentioned in section 2-3 of the sheet: Eye irritation, category 2. Causes serious eye irritation. Agreement concerning the carriage of Dangerous goods by Road hemical Abstract Service Number concentration (required to induce a 50% effect) entifier in ESIS (European archive of existing substances) on 1272/2008 o Effect Level 'Schedule armonized System of classification and labeling of chemicals hational Air Transport Association Dangerous Goods Regulation tion Concentration 50% onal Maritime Code for dangerous goods hal Maritime Coganization : Identifier in Annex VI of CLP icentration 50% e 50%			
. (DTHER INFORMATI Text of hazard (H) Eye Irrit. 2 H319 LEGEND: - ADR: European A - CAS NUMBER: CI - CE50: Effective of - CE NUMBER: Ide - CLP: EC Regulatio - DNEL: Derived N - EmS: Emergency - GHS: Globally Ha - IATA DGR: Intern - IC50: Immobiliza - IMDG: Internation - IMDG: Internation - INDEX NUMBER: - LC50: Lethal Con - LD50: Lethal dos - OEL: Occupation - PBT: Persistent b - PEC: Predicted e	ON indications mentioned in section 2-3 of the sheet: Eye irritation, category 2. Causes serious eye irritation. Agreement concerning the carriage of Dangerous goods by Road hemical Abstract Service Number concentration (required to induce a 50% effect) intifier in ESIS (European archive of existing substances) on 1272/2008 o Effect Level 'Schedule armonized System of classification and labeling of chemicals national Air Transport Association Dangerous Goods Regulation tion Concentration 50% onal Maritime Code for dangerous goods nal Maritime Organization I dentifier in Annex VI of CLP iccentration 50% e 50% al Exposure Level bioaccumulative and toxic as REACH Regulation nvironmental Concentration			
. <u>c</u>	DTHER INFORMATI Text of hazard (H) Eye Irrit. 2 H319 LEGEND: - ADR: European A - CAS NUMBER: CI - CE50: Effective of - CE NUMBER: Ide - CLP: EC Regulatio - DNEL: Derived N - EmS: Emergency - GHS: Globally Ha - IATA DGR: Intern - IC50: Immobiliza - IMDG: Internatio - IMDG: Internatio - IMDG: Internatio - INDEX NUMBER: - LC50: Lethal Con - LD50: Lethal dos - OEL: Occupation - PBT: Persistent b - PEC: Predicted e - PEL: Predicted e	ON indications mentioned in section 2-3 of the sheet: Eye irritation, category 2. Causes serious eye irritation. Agreement concerning the carriage of Dangerous goods by Road hemical Abstract Service Number concentration (required to induce a 50% effect) intifier in ESIS (European archive of existing substances) on 1272/2008 o Effect Level 'Schedule armonized System of classification and labeling of chemicals national Air Transport Association Dangerous Goods Regulation tion Concentration 50% onal Maritime Code for dangerous goods ail Maritime Code for dangerous goods ail Maritime Organization : Identifier in Annex VI of CLP icentration 50% a Exposure Level bioaccumulative and toxic as REACH Regulation nvironmental Concentration xposure level			
. (DTHER INFORMATI Text of hazard (H) Eye Irrit. 2 H319 LEGEND: - ADR: European A - CAS NUMBER: CI - CE50: Effective of - CE50: Effective of - CE NUMBER: Ide - CLP: EC Regulatio - DNEL: Derived N - EmS: Emergency - GHS: Globally Ha - IATA DGR: Internation - IATA DGR: Internation - INDG: Internation - INDG: Internation - INDEX NUMBER: - LC50: Lethal Con - LD50: Lethal Con - LD50: Lethal Con - DEL: Occupation - PBT: Persistent b - PEC: Predicted e - PNEC: Predicted e	ON indications mentioned in section 2-3 of the sheet: Eye irritation, category 2. Causes serious eye irritation. Agreement concerning the carriage of Dangerous goods by Road hemical Abstract Service Number concentration (required to induce a 50% effect) intifier in ESIS (European archive of existing substances) on 1272/2008 o Effect Level 'Schedule arrmonized System of classification and labeling of chemicals hational Air Transport Association Dangerous Goods Regulation tion Concentration 50% onal Maritime Organization identifier in Annex VI of CLP icentration 50% e 50% all Eposure Level bioaccumulative and toxic as REACH Regulation nvironmental Concentration sposure level no effect concentration			
. (DTHER INFORMATI Text of hazard (H) Eye Irrit. 2 H319 LEGEND: - ADR: European A - CAS NUMBER: CI - CE50: Effective of - CE50: Effective of - CE NUMBER: Ide - CLP: EC Regulatio - DNEL: Derived N - EmS: Emergency - GHS: Globally Ha - IATA DGR: Intern - IC50: Immobiliza - IMDG: Internation - INDEX NUMBER: - LC50: Lethal Con - LD50: Lethal dos - OEL: Occupation - DE1: Persistent b - PEC: Predicted e - PEC: Predicted e - REACH: EC Regul	ON indications mentioned in section 2-3 of the sheet: Eye irritation, category 2. Causes serious eye irritation. Agreement concerning the carriage of Dangerous goods by Road hemical Abstract Service Number concentration (required to induce a 50% effect) intifier in ESIS (European archive of existing substances) on 1272/2008 o Effect Level 'Schedule arrmonized System of classification and labeling of chemicals hational Air Transport Association Dangerous Goods Regulation tion Concentration 50% onal Maritime Organization identifier in Annex VI of CLP icentration 50% e 50% all Eposure Level bioaccumulative and toxic as REACH Regulation nvironmental Concentration sposure level no effect concentration			



Echinacea Extract

1907/2006 (REACH) Article 31, 2015/830/EU and 1272/2008/EC (CLP) Date 01.11.2018

- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA STEL: Short-term exposure limit
- TWA: Time-weighted average exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation
- WGK: Water hazard classes (German).

Note for user:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.